

03CO

## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/092,281	03/06/2002	Durham Russell Maples	

CONFIRMATION NO. 7725

## FORMALITIES LETTER



\*OC00000007819740\*

Durham Russell Maples  
1507 Park Circle  
Camden, SC 29020

Date Mailed: 04/08/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS


*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
  - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).

*A copy of this notice **MUST** be returned with the reply.*

  
Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE



**In the United States Patent and Trademark Office**

Application Number: 10/092,281  
Filing/Receipt Date: 03/06/2002  
Applicant: Durham Russell Maples

1. This is in reply to the notice to file corrected application papers mailed on 04/08/2002, confirmation number 7725.
2. The applicant has made the necessary corrections specified by the notice and has taken the opportunity to make further corrections as explained in the following.
3. The line spacing corrections required by the notice to file corrections have been made to the specifications, claims and the abstract.
4. Additional corrections have been made to the specifications on page 10, 2<sup>nd</sup> paragraph, line 8 to 9. Sentence added " A high density Aldehyde can be used in place of the high density Ketone."
5. Additional corrections to the specification include the addition of the entire 3<sup>rd</sup> paragraph on page 10.
6. Additional corrections have been made to the claims. The entire claim 17 has been added and the new filing receipt will have to be amended to reflect a total of 17 claims.
7. There is now 21 total pages in the application due to these corrections.

Durham Russell Maples  
1507 Park Circle  
Camden, S.C. 29020

*Durham Russell Maples*  
Durham Russell Maples

10072281-042202